

Insulated Panels
Ireland

Technical Update: EU127

Kingspan recommended
coatings for fire boundary
conditions

Tech-eXchange



KINGSPAN RECOMMENDED COATINGS FOR FIRE BOUNDARY CONDITIONS

DATE: APRIL 2025

The purpose of this Technical Bulletin is to make you aware of changes to regulation guidance which will impact the use of XL Forte on walls where there is a Fire boundary condition.

With the removal of BS476 suite of standards in Technical Guidance Document B (Ireland) which comes into force in May 2025, going forward, Kingspan Insulated Panels will be recommending the use of Spectrum external coatings on all wall panels used in a fire boundary condition.

Projects working to previous guidance (before the current iteration of Technical Guidance Document B, in May 2025) where XL Forte coatings have been used in a boundary condition will have demonstrated compliance with regulatory guidance at the time. In addition, the Spectrum coatings are available in a LEC option, which helps lower the embodied carbon of the project and are well placed to continue to service your boundary fire wall conditions.

Contact Details

Ireland

Kingspan Limited

Carrickmacross Road, Kingscourt
Co.Cavan, A82 E897

T: +353 (0) 42 9698529

info.ire@kingspanpanels.com

www.kingspanpanels.ie



For the product offering in other markets please contact your local sales representative or visit www.kingspan.com

Care has been taken to ensure that the contents of this publication are accurate, but Kingspan Limited and its subsidiary companies do not accept responsibility for errors or for information that is found to be misleading. Suggestions for, or description of, the end use or application of products or methods of working are for information only and Kingspan Limited and its subsidiaries accept no liability in respect thereof.

